

FLEXIBLE & SUSTAINABILITY

Premade Pouch Packing Machine



BENEFITS

- Safety – Reliable seals protect contents from outside elements every time
- Versatility and Adaptability– a wide range of pouch sizes, shapes, and materials, accommodating various product types and packaging requirements.
- Sustainability – Certified compostable films, inks and adhesives
- Convenience-Easy to change bag size, bag type and print range
- Precision Sealing and Packing – High bag opening effective and low failure rate
- Flexible – Easy to adjust the speed during the packaging process


MARKET APPLICATIONS

- Granule such as Snack Foods, Nuts and Seeds
- Powder such as Spice,Flour and coffee
- Liquid such as Tomato Sauce,Honey,Shampoo
- Special such as pickle,shisha,premade meal

PROPERTIES

	LTC8-200/LTC8-260/LTC8-300
Bag size	W:80-400mm L:100mm-400mm(depend on product
Filling volume	30-2500g
Capacity	25-60 bags/min for different material and bag
Dimension	1.140*1.500*1.560m(customized by product line)
Weight&Power supply	1400kgs/1500kgs/1600kgs-1800kgs 380V 50hz
Compress air requirement	0.6-1m ³ /min supply by user

STRUCTURE



PRODUCT DESCRIPTION

The Lintyco™ Pre-Made Pouch Packaging Machine is a versatile, high-performance system for automating pouch filling and sealing. Designed for easy integration into any production line, it offers consistent, efficient packaging of food/beverage, personal care and pharmacy products.

Ideal for food, cosmetic and health & beauty brands seeking reliable, fully-automated pouching solutions. Demo units available – [contact us](#) today to discuss your packaging needs.

PACKAGING FORMATS

- Doypack bag/Quad Seal bag
- 3 side seal bag/4 side seal bag
- Back seal bag/Pillow bag
- Flat bottom bag/Zipper bag



Lintyco

NO.68 ZhouSong Road,RuiAn City,WenZhou
ZheJiang Province,China. | info@lintyco.com
lintyco.com

FLEXIBLE & SUSTAINABILITY

Vertical Form Fill & Seal Machine



BENEFITS

- Efficiency –Streamline the form-fill-seal process, significantly increasing productivity and reducing downtime.
- Versatile Packaging Solutions–Various package formats like pillow bag/gusseted bag
- Superior Seal Quality – Creates strong, airtight seals that protect your products from contamination, moisture, and external factors
- High Configuration: PLC Control With Touch Screen, Easy to Operation, Servo Driver For Film Pulling System
- Precision Sealing and Packing – High bag opening effective and low failure rate
- Safety– Safety features to protect both operators and products.

MARKET APPLICATIONS

- Non-food such as Bolt,Screw,Nail and other hardware
- Granule such as Snack Foods, Nuts and Seeds
- Powder such as Spice,Flour and coffee
- Liquid such as Tomato Sauce,Honey and detergent

PROPERTIES

	LTC320V/LTC420V/LTC520V/LTC720V/LTC1050V
Packing range	W:85-400mm L:60mm-500mm
Film width	320mm/420mm/520mm/720mm/1050mm
Capacity	35-60bags/min for different material and bag
Air consumption	0.8Mpa 0.3m3/min-0.8m3/min
Total height&Power supply	2.54-3.955m, AC380V 50hz3P

STRUCTURE

PRODUCT DESCRIPTION

The Lintyco™ Vertical Form-Fill-Seal (VFFS) packing machine, a revolutionary solution that takes your packaging process to new heights. Designed to optimize efficiency and deliver exceptional results, this advanced machine offers unmatched performance and versatility for your packaging needs.

VFFS machines are ideal for snacks, liquid food, pet treats and more.

Contact us to discuss solutions for your high-speed pouch line needs..

PACKAGING FORMATS

- Quad Seal bag
- 3 side seal bag/4 side seal bag
- Back seal bag/Pillow bag
- Flat bottom bag



FLEXIBLE & SUSTAINABILITY Horizontal Form Fill & Seal Machine



BENEFITS

- Efficiency at its Finest – With high-speed capabilities and intelligent automation, it enables quick and precise form-fill-seal operations, minimizing downtime maximizing productivity.
- Intuitive Operation– Minimize training time and maximize operational efficiency
- Exceptional Seal Quality – Creates strong, airtight seals that protect your products from contamination, moisture, and external factors
- Flexibility-a variety of package formats, such as pillow bags, gusseted bags, or quad-seal bags, tailored to your specific needs.
- Precision Sealing and Packing – High bag opening effective and low failure rate
- Safety– Safety features to protect both operators and products.


MARKET APPLICATIONS

- Personal care such as Pain Relief Patch, Gloves, Heating Pad
- Pharmacy such as Face Mask, Medical Wipes, Bandage and Medical Test Kit

PROPERTIES

	BG400
Packing range	W:85-160mm L100-280mm H:1-8mm
Packing Material	ET+OPP, BOPP, CPP, PET+AL and other film
Capacity	80-120per/min for different material and bag
Dimension	4200*850*1550mm(customized by product line)
Weight&Power supply	900kg, AC380V 50hz3P

STRUCTURE



PRODUCT DESCRIPTION

The Lintyco™ advanced Horizontal Form-Fill-Seal packing machine, a game-changer in automated packaging solutions. Designed to optimize efficiency and enhance productivity, this state-of-the-art machine offers unparalleled performance for your packaging needs.

Get in touch to discuss how our packing machine can boost your productivity while meeting stringent standards for food-grade packaging applications. Test Demos available on request.

PACKAGING FORMATS

- Pillow bag
- 3 side seal bag
- Back seal bag
- 4 side seal bag



Lintyco

NO.68 ZhouSong Road, RuiAn City, WenZhou
ZheJiang Province, China. | info@lintyco.com
lintyco.com

© 2023 Lintyco

FLEXIBLE & SUSTAINABILITY

Horizontal Form Fill & Seal Machine



BENEFITS

- Versatile Packaging – provides a horizontal pillow flow design, ensuring efficient and effective packaging of the pharmacy product and personal care..
- Customization Options – Offer customization options, including the ability to add a customized logo, packaging, and graphic designs.
- Exceptional Seal Quality – Creates strong, airtight seals that protect your products from contamination, moisture, and external factors
- Flexibility-a variety of package formats, such as pillow bags, gusseted bags, or pillow zipper bags, tailored to your specific needs.
- Precision Sealing and Packing – The machine utilizes a 4 sides seal and zipper bag pouch system, guaranteeing secure and airtight packaging.
- Safety– Safety features to protect both operators and products.


MARKET APPLICATIONS

- Personal care such as Pain Relief Patch, Gloves, Heating Pad
- Pharmacy such as Face Mask, Medical Wipes, Bandage and Medical Test Kit

PROPERTIES

	BG800Z
Packing range	W:200mm max L100-280mm H:1-8mm
Packing Material	ET+OPP, BOPP, CPP, PET+AL and other film
Capacity	50-180per/min for different material and bag
Max Width/Dia of film	880mm, Φ400mm
Weight&Power supply	2500kg, AC380V 50hz3P

STRUCTURE




PRODUCT DESCRIPTION

The Lintyco™ advanced Horizontal Form-Fill-Seal packing machine utilizes self-heating flameless heater packs to provide convenient and quick heating for food warmers. It is equipped with a 4 sides sealing sachet mechanism, ensuring secure and airtight packaging. The machine is suitable for a wide range of applications in the food industry.

Get in touch to discuss how our packing machine can boost your productivity while meeting stringent standards for food-grade packaging applications. Test Demos available on request.

PACKAGING FORMATS

- Pillow bag with zipper
- 3 side seal bag
- Back seal bag
- 4 side seal bag



Lintyco

NO.68 ZhouSong Road, RuiAn City, WenZhou
ZheJiang Province, China. | info@lintyco.com
lintyco.com

FLEXIBLE & SUSTAINABILITY

Aluminum Blister Filling System



BENEFITS

- Efficient and High Speed Production—100 pcs/min max. Almost cost less than other supplier.
- Customizable Options:— provides high speed 5 filling head (can be customizable)
- Reliable Packaging Quality – The system utilizes a servo motor type pillow packing machine
- Wide Application—cosmetic essence/cream/lotion/medical oral liquid
- Precision Filling and Packing – High film filling effective and low failure rate
- Safety— Safety features to protect both operators and products.




MARKET APPLICATIONS

- Medical such as cosmetic essence, cream, lotion, perfume
- Personal care such as shampoo, clean sauce.
- Pharmacy such as liquid medicine and medical oral liquid

PROPERTIES

	LTC230
Max. Forming depth	24mm
Number of filling head	5
Capacity	80-100pcs/min
Dimension	3200*850*2000mm(customized by product line)
Weight&Power supply	1200kg, AC380V 50hz/60hz, 3P

STRUCTURE




PRODUCT DESCRIPTION

The Lintyco™ advanced Aluminum Bister Filling System is a packaging machine designed specifically for aluminum blister package. It features a carbon steel body and utilizes three servo motors for efficient and high-speed production.

Lintyco provides comprehensive after-sales support, including a one-year warranty on the machine and a professional team of experienced technicians for assistance. [Get in touch now!!](#)

PACKAGING FORMATS

- Demo Package
- Aluminum Blister



Lintyco

NO.68 ZhouSong Road, RuiAn City, WenZhou
ZheJiang Province, China. |

info@lintyco.com

lintyco.com

FLEXIBLE & SUSTAINABILITY

Collation Flow Wrap System



BENEFITS

- Efficient and High Speed Production—200 bag/min max. Almost higher than other supplier.
- Customizable Options:— provides flexibility in bag length, width, and height, accommodating different sizes and dimensions of game cards.
- Reliable Packaging Quality – The system utilizes a servo motor type pillow packing machine
- Diverse Packaging Materials-various packaging materials such as OPP, PE, PVC, OPP/CPP, PT/PE, KOP/CPP, and more
- Precision Sealing and Packing – High bag opening effective and low failure rate
- Safety— Safety features to protect both operators and products.


MARKET APPLICATIONS

- Game cards such as pokomen cards, ultraman and other game cards
- Personal care such as Pain Relief Patch, Gloves, Heating Pad
- Pharmacy such as Face Mask, Medical Wipes, Bandage and Medical Test Kit

PROPERTIES

	LTC250
Bag Range	L(85-300mm) W(30-100mm) H(5-30mm)
Packing Material	ET+OPP, BOPP, CPP, PET+AL and other film
Capacity	200 bags/min max
Dimension	4500*920*1500mm(customized by product line)
Weight&Power supply	600kg, AC380V 50hz3P

STRUCTURE



PRODUCT DESCRIPTION

The Lintyco™ advanced Collation Flow Wrap System is a packaging machine designed specifically for Pokemon cards, Ultraman cards, and game cards in general. It features a carbon steel body and utilizes three servo motors for efficient and high-speed production.

Lintyco provides comprehensive after-sales support, including a one-year warranty on the machine and a professional team of experienced technicians for assistance. [Get in touch now!!](#)

PACKAGING FORMATS

- Pillow bag
- Gusset Pillow bag



Lintyco

NO.68 ZhouSong Road, RuiAn City, WenZhou
ZheJiang Province, China. | info@lintyco.com
lintyco.com

© 2023 Lintyco